Optics & Laser Technology

Index to Volume 35 (2003)

No 1 (February) pp 1–68
No 2 (March) pp 69–154
No 3 (April) pp 155–236
No 4 (June) pp 237–322
No 5 (July) pp 323–408
No 6 (September) pp 409–496
No 7 (October) pp 497–582
No 8 (November) pp 583–660

Article Index

Number 1

Transmission of a Gaussian beam after incidenting nonnormally on a Fabry–Perot etalon
Z. Wu, G. Xia, H. Zhou, J. Wu and M. Liu 1

A conduction model for deep penetration laser welding based on an actual keyhole
X. Jin and L. Li 5

Numerical studies of optical parametric chirped pulse amplification
P. Zhu, L. Qian, S. Xue and Z. Lin 13

Laser-induced damage studies in GaAs
A. Garg, A. Kapoor and K.N. Tripathi 21

A completely laser-based production method for fibre Bragg grating devices
D.A. Barber, P. Elbourn, J. Greuters and N.H. Rizvi 25

Fringes of equal tangential inclination by curvature-induced birefringence
M. Medhat, N.I. Hendawy and A.A. Zaki 31

Experimental study of a high-power CW side-pumped Nd:YAG laser
D.L. Yu and D.Y. Tang 37

Analysis of CCD moiré pattern for micro-range measurements using the wavelet transform
R.-S. Chang, J.-Y. Sheu, C.-H. Lin and H.-C. Liu 43

Accurate interband-energy measurements from Ellipsometric spectra
J. Lian, Q. Wang, X. Cheng, A. Wei, P. Li and Y. Wang 49

Interferometric determination of refraction and dispersion of human blood-serum, saliva, sweat and urine
S.Y. El-Zaiat 55

Solder with discontinuous melting point in semiconductor laser arrays and stacks
D.-m. Cheng, L.-j Wang, Y. Liu, Y.-l Cao, L.-n Li and F.-b Gao 61

Rugged distal tips for CO_2 laser medicine
S. Ouyang, Y.-W. Shi, Y. Matsuura and M. Miyagi 65

Number 2

High power 1341.4 nm Nd : $YAlO_3$ CW laser and its performances
H.Y. Shen, G. Zhang, C.H. Huang, R.R. Zeng and M. Wei 69

Tracing of interference fringes using average gray value and simultaneous row and column scan
A. Anand 73

Thermal processes of a powder particle in coaxial laser cladding
C.-Y. Liu and J. Lin 81

Recrystallization of germanium surfaces by femtosecond laser pulses
A.P. Singh, A. Kapoor and K.N. Tripathi 87

Retardation characteristics and birefringence of a multiple-order crystalline quartz plate
N.N. Nagib, S.A. Khodier and H.M. Sidki 99

Optical resonator for high-power transverse flow CO_2 lasers
I. Gutu, C. Petre, I. Ivanov and I.N. Mihailescu 105

Calculation of laser-induced temperature field on moving thin metal foils in consideration of Stefan problem
R. Brockmann, K. Dickmann, P. Geshev and K.-J. Matthes 115

Transmission of a Gaussian beam after incidenting nonnormally on a Fabry–Perot etalon: a nonresonant case
Z. Wu and G. Xia 123

Demonstration of the centralized optical backplane architecture in a three-board microprocessor-to-memory interconnect system
X. Han, G. Kim and R.T. Chen 127

On use of ghost-less beam splitter in reversal shear interferometer for measurement of spatial coherence of large cross-section laser beam
S. Chatterjee and O. Prakash 133

Design alternatives for wavelength routing networks
K. Miliotis, G.I. Papadimitriou and A.S. Pomportsis 137

Number 3

Caustics and caustic-diffraction in laser shadowgraphy of a sessile drop and identification of profile near contact line
N. Zhang and D.F. Chao 155

Relative intensity noise of mode-locked fiber grating external cavity semiconductor lasers
N. Dogru and M. Sadettin Ozyazici 163

ZnSe : Co^{2+} — nonlinear optical absorber for giant-pulse eye-safe lasers
Z. Mierczyk, A. Majchrowski, I.V. Kityk and W. Gruhn 169

1.6 W of TEM_{00} cw output at 1.06 μm from Nd:CNGG laser end-pumped by a fiber-coupled diode laser array
P.K. Mukhopadhyay, K. Ranganathan, J. George, S.K. Sharma and T.P.S. Nathan 173

Improvement of 1D off-axis computer-generated holograms
K. Nagashima 181

Observation of all-optical wavelength conversion based on cascaded effect in periodically poled lithium niobate waveguide
X. Zeng, X. Chen, Y. Chen, Y. Xia and Y. Chen 187

A new approach to eye-safety analysis for airborne laser systems flight test and training operations
R. Sabatini and M.A. Richardson 191
Laser drilling of thick material using femtosecond pulse with a focus of dual-frequency beam
B. Tan, K. Venkatkrishnan, N.R. Sivakumar and G.K. Gan 199
Comparison between instantaneous and integral intensities in dynamic speckle pattern interferometry
X. Li 203
A low cost uncooled focal plane array test system
Y. Li, X. Yi, Z. He and Y. Luo 213
A sinusoidal phase-modulating fiber-optic interferometer insensitive to the intensity change of the light source
X. Wang, X. Wang, Y. Liu, C. Zhang and D. Yu 219
A subfringe integration method for multiple-beam Fizeau fringe analysis
M.A. El-Morsy, K. Harada, M. Itoh and T. Yatagai 223
Diode-laser pumped passively Q-switched green laser by intracavity frequency-doubling with periodically poled $LiNbO_3$
S. Zhang, Q. Wang, X. Xu, C. Dong, X. Zhang and P. Li 233

Number 4

Analysis of waveguide dispersion characteristics of WI- and WII-type triple-clad single-mode fibers
X. Zhang and X. Tian 237
Output beam drift and deformation in high-power COIL
D. Yu, F. Sang, Y. Jin and Y. Sun 245
Novel split-band erbium-doped fiber amplifier
C. Jiang, W. Hu, Q. Zeng and S. Xiao 251
LD-pumped actively Q-switched Nd: $GdVO_4$/KTP red laser
L. Qin, X. Meng, C. Du, L. Zhu, Z. Shao and B. Xu 257
Performance analysis of an all-optical wavelength converter based on XPM in semiconductor optical amplifiers
S.P. Majumder, B.C. Sarker and T. Yoshino 261
Sensitivity analysis of scanning near-field optical microscope probe
T-H. Fang and W-J. Chang 267
Optical quality measurements on beams generated by a stable multipass resonator and a hybrid stable–unstable resonator
A. Lapucci and M. Ciofini 273
Method to estimate the reflection-induced retardance of bulk glass optical current sensing head
Y. Zhao, Z. Wang, Q. Li, W. Sun, H. Wang and R. Feng 281
Micromachining of circular ring microstructure by femtosecond laser pulses
W.L. Liang, B.K.A. Ngoi, L.E.N. Lim, K. Venkatakrishnan and C.W. Hee 285
Preparation and transmission loss of the nano-crystal and polymer composite film BTO/PMMA
H. Yang, Q. Ren, S. Guo and G. Zhang 291
A simple method of contrast enhancement and extremum extraction for interference fringes
L.Z. Cai, Q. Liu and X.L. Yang 295
The morphology of pulsed laser-induced damage on the surface of a copper film mirror
W. Wang, B. Lü, C. Liu, D. Zhang and Y. Luo 303
Influence of the UV-induced fiber loss on the distributed feedback fiber lasers
W. Fan, B. Chen, Q. Qiao, J. Chen and Z. Lin 309
A novel method for fabricating apodized fiber Bragg gratings
Z. Lin, X. Chen, F. Wu, J. Shi, Y. Yin and S. Xie 315
Letter to the Editor: Faraday rotation measurement with photorefractive $Bi_{12}TiO_{20}$: comment
E. Garbusi and J.A. Ferrari 319
Author's reply
A. Anand and C.S. Narayanamurthy 321

Number 5

Measurement of shock waves using phase shifting pulsed holographic interferometer
Y.-J. Kang, S. Baik, W. Ryu and K. Kim 323
Influence of doping the pump-chamber material in a flashlamp pumped Er:YAG laser
M. Brunken, L. Casper, H. Genz, C. Hessler, S. Khodyachykh and A. Richter 331
Optical properties of $AsSe_{1.5-x}Te_x$ glassy system
M.B. El-Den and M.M. El-Nahass 335
Room temperature continuous wave low threshold current 850 nm ion implanted vertical cavity surface emitting laser using tungsten wires as mask
H. Wang, G. Du, H. Cui, C. Xu and J. Song 341
Theoretical analysis of 2D acceleration laser sensor and several design parameters
X. Fang and M. Cao 345
A compact autocorrelator for the wavelength range between 4 and 10 μm
M. Brunken, L. Casper, H. Genz, C. Hessler, S. Khodyachykh and A. Richter 349
Experimental determination of propagation constant using end-etched fiber
C.-H.H. Hou, B.G. Grossman, S.H. Murshid and M. Sokol 355
Measuring the refractive index of crude oil using a capillary tube interferometer
H. El Ghandoor, E. Hegazi, I. Nasser and G.M. Behery 361
Integrated diffractive optical mode converter for fiber-to-waveguide coupling
S. Lu, Y.-B. Yan, D.-E. Yi, G.-F. Jin and M.-X. Wu 369
Performance of a CW pumped Nd : YVO_4 amplifier with kHz pulses
S. Pearce and C.L.M. Ireland 375
Compensation for depolarisation by a fibre coil in the presence of self-phase modulation
D. Bird and M. Gu 381
The enclosed laser ablation of multiple stacks of laminated, metallised polymer
R. Stewart, L. Li and R. Isherwood 385
Supersonic COIL with angular jet singlet oxygen generator
R.K. Tyagi, R. Rajesh, G. Singhal, Mainuddin, A.L. Dawar and M. Endo 395
Styrene acrylonitrile (SAN) based polymeric waveguides
G.J. Qureshi, N. Padha, V.K. Gupta, M.N. Kamalasanan, A.P. Singh, A. Kapoor and K.N. Tripathi 401

Number 6

The role of the polarization in ATIR proximity sensing
H.Y. Stoyanov 409
Thermal considerations on the design and operation of lens ducts
H. Golnabi 415
Broadband spectral shaping in a Ti:sapphire regenerative amplifier
Y. Leng, L. Lin, W. Wang, Y. Jiang, B. Tang and Z. Xu 425
High repetition rate passively Q-switched diode-pumped Nd:YVO_4 laser
J. Liu, J. Yang and J. He 431
Focal shift in Hermite–Gaussian beams based on the encircled-power criterion
B. Lü and R. Peng 435
Gain-clamping in two-stage L-band EDFA using an unwanted backward ase from second stage
S.W. Harun and H. Ahmad 441
High power diode single-end-pumped Nd: YVO_4 laser
H. Zhang, M. Chao, M. Gao, L. Zhang and J. Yao 445
ArF-excimer-laser annealing of 3C–SiC films—diode characteristics and numerical simulation
T. Mizunami and N. Toyama 451
Calibrating camera radial distortion with cross-ratio invariability
G. Zhang, J. He and X. Yang 457

All optical clock division and multiplication by injection mode-locked laser based on SOA
T. Wang, C. Lou, L. Huo, Z. Wang and Y. Gao 463
Space phase matching and self-frequency-doubling red laser in Nd:GdCOB crystal
X. Hou, J. Huang, Y. Li, Y. Sun and L. Pan 471
Emission properties of laser ablation of SnO_2:Sb transparent conducting film and $KTiOPO_4$ crystal
M. Ying, Y. Xia, Y. Sun, Y. Ma, M. Zhao, X. Hao and X. Liu 475
An improved method and experimental results of noise used as reliability estimation for semiconductor lasers
G. Hu, J. Shi, Y. Shi, X. Yang and J. Li 481
Spectroscopic measurement of blood volume and its oxygenation in a small volume of tissue using red laser lights and differential calculation between two point detections
S. Kashima 485
Port wine spectronephelometry
L.M.C. Oliveira and M.A.C.P. Clemente 491

Number 7

Analytical propagation equation of astigmatic Hermite–Gaussian beams through a 4×4 paraxial optical system and their symmetrizing transformation
B. Lü and P. Wu 497
A new image processing method for evaluating the pupillary responses in a HMD-type eye-tracking device
C.-S. Lin, L.-W. Lue, M.-S. Yeh, T.-s. Hwang and S.-H. Lee 505
High-power multibeam CO_2 laser for industrial applications
S.V. Deshmukh and C. Rajagopalan 517
Structural and optical studies of thermally evaporated CoPc thin films
M.M. El-Nahass, Z. El-Gohary and H.S. Soliman 523
Application of an improved subpixel registration algorithm on digital speckle correlation measurement
J. Zhang, G. Jin, S. Ma and L. Meng 533
NO_x generation in laser-produced plasma in air as a function of dissipated energy
M. Rahman and V. Cooray 543
Degradation of modulation transfer function in push-broom camera caused by mechanical vibration
P. Xu, Q. Hao, C. Huang and Y. Wang 547
Impact of concatenated AWG filters in metro transparent network with DML
X. Ma, Y. Li, H. Zhang and Y. Guo 553
Effect of friction in ferrules on compression tuning characteristics of fiber Bragg gratings
L. Zhao, Q. Zheng, J. Geng and Z. Fang 559
Passive Q-switching of a laser-diode-pumped intracavity-frequency-doubling Nd:NYW/KTP laser with GaAs saturable absorber
L. Chen, S. Zhao and H. Zhao 563
Focusing of flattened Gaussian beams by an annular lens
X. Ji and B. Lü 569
Compact 600 mW blue laser with a composite Nd:YAG
L. Gao and H. Tan 575
Book reviews 579

Number 8

A new design for a high-power, tail-free high repetition frequency single-mode CO_2 laser
S. Marchetti and R. Simili 583
CMOS vs. CCD sensors in speckle interferometry
H. Helmers and M. Schellenberg 587
Supersonic flow characteristics in laser grooving
C.-C. Mai and J. Lin 597
Development of irradiation strategies for free curve laser forming
J. Kim and S.J. Na 605
A parametric study of negative feedback Nd:YAG laser
J. Jayabalan, R.A. Ganeev, A. Singh and S.M. Oak 613
The beam properties of high-power InGaAs/AlGaAs quantum well lasers
X. Wu, Z. Lu, Y. Wang, Y. Takiguchi and H. Kan 621
Polytetrafluoroethylene and metal structure convective-flow CO laser
Y. Li, Y. Kuang and X. Zhang 627
Assembly structure convective—flow CO laser
Y. Li, Y. Kuang, X. Zhang and Y. Zhou 633
Analysis of an internal crack of pressure pipeline using ESPI and shearography
K.-S. Kim, K.-S. Kang, Y.-J. Kang and S.-K. Cheong 639
Gain-clamped two-stage L-band EDFA with a FBG laser in second stage
S.W. Harun and H. Ahmad 645
Smoothing filters in phase-shifting interferometry
Q. Kemao, S. Hock Soon and A. Asundi 649
Book reviews 655
Erratum to "Recrystallization of germanium surfaces by femtosecond laser pulses" [Optics & Laser Technology 35 (2003) 87–97]
A.P. Singh, A. Kapoor and K.N. Tripathi 659

Author Index

Ahmad, H., 441, 645
Anand, A., 73, 321
Asundi, A., 649

Baik, S., 323
Barber, D.A., 25
Behery, G.M., 361
Bird, D., 381
Brauch, U., 579
Brockmann, R., 115
Brunken, M., 331, 349

Cai, L.Z., 295
Cao, M., 345
Cao, Y.-l., 61
Casper, L., 331, 349
Chang, R.-S., 43
Chang, W-J., 267
Chao, D.F., 155
Chao, M., 445
Chatterjee, S., 133
Chen, B., 309
Chen, J., 309
Chen, L., 563
Chen, R.T., 127
Chen, X., 187, 315
Chen, Y., 187, 187
Cheng, D.-m., 61
Cheng, X., 49
Cheong, S.-K., 639
Ciofini, M., 273
Clemente, M.A.C.P., 491
Cooray, V., 543
Cui, H., 341

Dawar, A.L., 395
Deshmukh, S.V., 517
Dickmann, K., 115
Dogru, N., 163
Dong, C., 233
Du, C., 257
Du, G., 341

El-Den, M.B., 335
El Ghandoor, H., 361
El-Gohary, Z., 523
El-Morsy, M.A., 223
El-Nahass, M.M., 335, 523
El-Zaiat, S.Y., 55
Elbourn, P., 25
Endo, M., 395

Fan, W., 309
Fang, T-H., 267
Fang, X., 345
Fang, Z., 559
Feng, R., 281
Ferrari, J.A., 319

Gan, G.K., 199
Ganeev, R.A., 613
Gao, F.-b., 61
Gao, L., 575
Gao, M., 445
Gao, Y., 463
Garbusi, E., 319
Garg, A., 21
Geng, J., 559
Genz, H., 331, 349
George, J., 173
Geshev, P., 115
Golnabi, H., 415
Grattan, K.T.V., 658
Greuters, J., 25
Grossman, B.G., 355
Gruhn, W., 169
Gu, M., 381
Guo, S., 291
Guo, Y., 553
Gupta, V.K., 401
Gutu, I., 105

Han, X., 127
Hao, Q., 547
Hao, X., 475
Harada, K., 223
Harun, S.W., 441, 645
He, J., 431, 457
He, Z., 213
Hee, C.W., 285
Hegazi, E., 361
Helmers, H., 587
Hendawy, N.I., 31
Hessler, C., 331, 349
Hock Soon, S., 649
Hou, C.-H.H., 355
Hou, X., 471
Hu, G., 481
Hu, W., 251
Huang, C., 547
Huang, C.H., 69
Huang, J., 471
Huo, L., 463
Hwang, T.-S., 505

Ireland, C.L.M., 375
Isherwood, R., 385
Itoh, M., 223
Ivanov, I., 105

Jayabalan, J., 613
Ji, X., 569
Jiang, C., 251
Jiang, Y., 425
Jin, G., 533
Jin, G.-F., 369
Jin, X., 5
Jin, Y., 245

Kamalasanan, M.N., 401
Kan, H., 621
Kang, K.-S., 639
Kang, Y.-J., 323, 639
Kapoor, A., 21, 87, 401, 659
Kashima, S., 485
Kemao, Q., 649
Khodier, S.A., 99
Khodyachykh, S., 331, 349

Kim, G., 127
Kim, J., 605
Kim, K., 323
Kim, K.-S., 639
Kityk, I.V., 169
Kuang, Y., 627, 633

Lapucci, A., 273
Lee, S.-H., 505
Leng, Y., 425
Li, J., 481
Li, L., 5, 385
Li, L.-n., 61
Li, P., 49, 233
Li, Q., 281
Li, X., 203
Li, Y., 213, 471, 553, 627, 633
Lian, J., 49
Liang, W.L., 285
Lim, L.E.N., 285
Lin, C.-H., 43
Lin, C.-S., 505
Lin, J., 81, 597
Lin, L., 425
Lin, Z., 13, 309, 315
Liu, C., 303
Liu, C.-Y., 81
Liu, H.-C., 43
Liu, J., 431
Liu, M., 1
Liu, Q., 295
Liu, X., 475
Liu, Y., 61, 219
Lou, C., 463
Lü, B., 303, 435, 497, 569
Lu, S., 369
Lu, Z., 621
Lue, L.-W., 505
Luo, Y., 213, 303

Ma, S., 533
Ma, X., 553
Ma, Y., 475
Mai, C.-C., 597
Mainuddin, 395
Majchrowski, A., 169
Majumder, S.P., 261
Marchetti, S., 583
Matsuura, Y., 65
Matthes, K.-J., 115
Medhat, M., 31
Meng, L., 533
Meng, X., 257
Mierczyk, Z., 169
Mihailescu, I.N., 105
Miliotis, K., 137
Miyagi, M., 65
Mizunami, T., 451
Mukhopadhyay, P.K., 173
Murshid, S.H., 355

Na, S.J., 605
Nagashima, K., 181
Nagib, N.N., 99

Narayanamurthy, C.S., 321
Nasser, I., 361
Nathan, T.P.S., 173
Ngoi, B.K.A., 285

Oak, S.M., 613
Oliveira, L.M.C., 491
Opower, H., 657
Ouyang, S., 65

Padha, N., 401
Pan, L., 471
Papadimitriou, G.I., 137
Pearce, S., 375
Peng, R., 435
Petre, C., 105
Pomportsis, A.S., 137
Prakash, O., 133

Qian, L., 13
Qiao, Q., 309
Qin, L., 257
Qureshi, G.J., 401

Rahman, M., 543
Rajagopalan, C., 517
Rajesh, R., 395
Ranganathan, K., 173
Ren, Q., 291
Richardson, M.A., 191
Richter, A., 331, 349
Rizvi, N.H., 25
Ryu, W., 323

Sabatini, R., 191
Sadettin Ozyazici, M., 163
Sang, F., 245
Sarker, B.C., 261
Schellenberg, M., 587
Shao, Z., 257
Sharma, S.K., 173
Shen, H.Y., 69
Sheu, J.-Y., 43
Shi, J., 315, 481
Shi, Y., 481
Shi, Y.-W., 65
Sidki, H.M., 99
Simili, R., 583
Singh, A., 613
Singh, A.P., 87, 401, 659
Singhal, G., 395
Sivakumar, N.R., 199
Sokol, M., 355
Soliman, H.S., 523
Song, J., 341
Steen, W.M., 580
Stewart, R., 385
Stoyanov, H.Y., 409
Sun, W., 281
Sun, Y., 245, 471, 475

Takiguchi, Y., 621
Tan, B., 199
Tan, H., 575
Tang, B., 425
Tang, D.Y., 37
Tian, X., 237
Toyama, N., 451
Tripathi, K.N., 21, 87, 401, 659
Tyagi, R.K., 395

Venkatakrishnan, K., 285
Venkatkrishnan, K., 199

Wang, H., 281, 341
Wang, L.-j., 61
Wang, Q., 49, 233
Wang, T., 463
Wang, W., 303, 425
Wang, X., 219, 219
Wang, Y., 49, 547, 621
Wang, Z., 281, 463
Wei, A., 49
Wei, M., 69
Wood, R.M., 655, 656
Wu, F., 315
Wu, J., 1
Wu, M.-X., 369
Wu, P., 497
Wu, X., 621
Wu, Z., 1, 123

Xia, G., 1, 123
Xia, Y., 187, 475
Xiao, S., 251
Xie, S., 315
Xu, B., 257
Xu, C., 341
Xu, P., 547
Xu, X., 233
Xu, Z., 425
Xue, S., 13

Yan, Y.-B., 369
Yang, H., 291
Yang, J., 431
Yang, X., 457, 481
Yang, X.L., 295
Yao, J., 445
Yatagai, T., 223
Yeh, M.-S., 505
Yi, D.-E., 369
Yi, X., 213
Yin, Y., 315
Ying, M., 475
Yoshino, T., 261
Yu, D., 219, 245
Yu, D.L., 37

Zaki, A.A., 31
Zeng, Q., 251
Zeng, R.R., 69
Zeng, X., 187
Zhang, C., 219
Zhang, D., 303
Zhang, G., 69, 291, 457
Zhang, H., 445, 553
Zhang, J., 533
Zhang, L., 445
Zhang, N., 155
Zhang, S., 233
Zhang, X., 233, 237, 627, 633
Zhao, H., 563
Zhao, L., 559
Zhao, M., 475
Zhao, S., 563
Zhao, Y., 281
Zheng, Q., 559
Zhou, H., 1
Zhou, Y., 633
Zhu, L., 257
Zhu, P., 13

Keyword Index

1341.4 nm line, 69
1D transformation, 181

Ablation, 385
Absorption spectra, 523
Accumulation effects, 21
Additive noise, 649
Aging, 401
Aluminium, 385
Amplified spontaneous emission, 441
Annealing, 401
Annular lens, 569
Apodization, 315
Arrayed waveguide grating (AWG), 553
As-Se-Te chalcogemide glasses, 335
Astigmatic Hermite–Gaussian beam, 497
Autocorrelator, 349
Automatic fringe analysis, 223

Beam quality, 273
Binary image, 73
Birefringence, 31, 37, 99, 401
Birefringent plate, 425
Blood volume and its oxygenation, 485
Blue laser, 575
Bragg gratings, 25
Broad band, 251

Camera lens, 457
Cascaded second-order processes, 187
Caustic diffraction, 155
CCD sensors, 587
CCD, 43
Chemical oxygen iodine laser (COIL), 245
Chirped-pulse amplification, 13
Circular polarization, 87
Clock division, 463
Clock multiplication, 463
CMOS sensors, 587
Coaxial laser cladding, 81
CO_2 laser, 517, 583
Colour, 491
Compact, 575
Composite Nd:YAG, 575
Compound jets, 597
Compression strain tuning, 559
Computer-generated hologram, 181
Concatenated AWG, 553
Conduction model, 5
Construction, 415
Contrast enhancement, 295
Convective flow CO laser, 627, 633
Copper heat exchanger, 633
Coupling coefficient, 309
Cross-phase modulation, 261
Cross-ratio invariability, 457
Cr^{4+} : YAG, 233
Crystal dimensions, 445
CW laser, 69

Damage morphology, 87
Depolarisation, 381
Design, 415
Differential calculation, 485
Diffractive optical element (DOE), 369
Digital image processing, 295
Digital speckle correlation method (DSCM), 533
Diode laser stack, 415
Diode pumping, 375, 431
Diode-pumped, 257
Directly modulated laser (DML), 553
Dispersion, 55
Dispersion theory, 523
Displacement measurement, 219
Distal tip, 65
Distortion calibration, 457
Distortion correction, 457
Distributed feedback fiber laser, 309
Doping concentration, 445
Droplet carryover, 395
Dual frequency, 199
DWDM, 251
Dye laser, 471

Effective nonlinear coefficient, 471
Efficiency, 331
Electrical discharges, 583
Electronic speckle pattern interferometry (ESPI), 639
Electroreflectance spectrum, 49
Ellipsometric spectrum, 49
Encircled-power criterion, 435
Enclosed, 385
End-etched fiber, 355
End-pumped, 173
Energy, 543
Er:YAG, 331
Erbium-doped fibre amplifier, 251
Excimer laser, 451
Extremum extraction, 295
Eye-safe lasers, 169
Eye-tracking system, 505

Fabry–Perot etalon, 1, 123
Faraday rotation, 319
Femtosecond laser pulses, 87, 285
Femtosecond pulse, 199
Fiber Bragg grating, 163, 315, 559, 645
Fiber loss, 309
Fiber-coupled diode laser array, 173
Fiber-optics, 355
Fiber-to-waveguide coupling, 369
Finite element analysis (FEA), 245
Flattened Gaussian beam, 569
Focal shift, 435, 569
Focusing, 569
Fourier transform, 223
Free-electron laser, 349
Frequency doubling, 349
Fresnel off-axis hologram, 181
Friction effect, 559
Fringe tracing, 73

GaAs, 563
Gain clamping, 441, 645
Gaussian beam, 1, 123
Germanium surface, 87
Ghost-less beam splitter, 133
Glass material, 415
Gradient-based algorithm, 533
Grains, 87
Gray level, 73
Green laser, 233

H^+ implanted, 341
Head-mounted display, 505
Hermite–Gaussian beam, 435
High average power laser beam, 133
High efficiency, 105
High power, 69
High repetition rate, 431
Histogram, 181
Hollow fiber, 65
Holographic interferometer, 323
Human blood-serum, 55
Hybrid soliton pulse source, 163

Image quality, 547
Imager, 213
Imaging technique, 291
Industrial applications, 517
Industrial machine vision, 457
Infrared, 213
InGaAs/AlGaAs SCH DQW lasers, 621
Interband energy, 49
Interference fringe analysis, 295
Interference, 31, 285
Interferogram, 73
Interferometer, 219
Interferometry, 361, 409

Keyhole, 5

Laser, 385
Laser ablation, 475
Laser annealing, 25, 451
Laser beams, 273
Laser damage, 303
Laser diode, 219
Laser-diode pump, 233
Laser drilling, 199
Laser effects, 303
Laser grooving, 597
Laser-induced shock waves, 323
Laser-produced plasma, 543
Laser resonators, 273
Laser safety, 191
Laser sensor, 345
Laser stripping, 25
Laser target designators, 191
Laser welding, 5
L-band EDFA, 441, 645
LD-pumped, 563
Lens duct, 415
Linear measurements, 409
Linear polarization, 87

Mach–Zehnder Interferometer, 261
Medical laser, 65
Metro area network (MAN), 553
Micromachining, 285

Mode locking, 613
Mode-locked laser, 163
Moiré, 43
MOPA, 375
Multibeam, 517
Multiple beam Fizeau fringes, 223
Multiple pulse damage, 21
Multiple-order quartz plate, 99
Multi-quantum well laser (MQW), 163

Nano-crystal, 291
Nanosecond pulses, 375
Nd:CNGG, 173
Nd:GdCOB, 471
Nd : $GdVO_4$/KTP, 257
Nd:NYW/KTP, 563
Nd:YAG laser, 37
Nd : $YAlO_3$ crystal, 69
Nd:YVO_4, 431
Nd:YVO4 laser, 445
Negative feedback, 613
Nitrogen oxides, 543
Noise, 481
Non-fractionated crude oil, 361
Nonlinear fibre optics, 381
Nonlinear optical absorber, 169
Nonnormal incidence, 1, 123
Non-paraxial vectorial moment theory, 621
Nonresonant case, 123
Novel split-band structure, 251
Numerical analysis, 81
Numerical simulation, 13

Optical activity, 319
Optical amplifier, 441, 645
Optical backplane, 127
Optical current sensors, 281
Optical emission spectroscopy, 475
Optical fiber probe, 267
Optical interconnect, 127
Optical networks architectures, 137
Optical parametric chirped-pulse amplification, 13
Optical properties, 335, 523
Optical resonator, 37, 105
Optical surface, 303
Optoelectronic interface, 127

Passive Q-switch, 563
Passive Q-switching, 431
Passively Q-switching, 233
Phase matching, 471
Phase measurement, 203, 223
Phase retrieval, 369
Phase-shifting interferometry, 649
Photoelasticity, 31
Photorefractive crystals, 319
Phthalocyanine, 523
Plasma diagnosis, 475
Polarization, 409
Polarization selection, 401
Polyethylene fiber, 223
Polymer, 65, 385
Polytetrafluoroethylene and metal structure, 627
Polytetrafluoroethylene discharge tube, 627
Powder evaporation, 81
PPLN, 233
Propagation constant, 355
Propagation equation, 497
Pupillary responses, 505
Push-broom camera, 547

Q-switched, 257
Quantitative analysis, 639
Quasi-phase-matching, 187

Radial distortion, 457
Recrystallization, 87
Red laser, 257
Red laser light, 485
Reference wave, 181
Reflection-induced retardance, 281
Refractive index, 55, 361
Refractive index profile, 223
Relative intensity noise, 163
Reliability, 481
Retardance measurement, 281
Retardance, 99
Reversal shear interferometer, 133
Ripples, 87, 303
Routing and wavelength assignment, 137

Saliva, 55
Satellite attitude, 547
Scanning near-field optical microscope, 267
Scattering, 491
Self-frequency-doubling, 471
Self-phase modulation (SPM), 381
Semiconductor laser array, 61
Semiconductor lasers, 61, 481
Semiconductor optical amplifier, 261
Sensitivity, 267
Sensor design, 345
Sessile drop, 155
Shadowgraphic image, 155
Shearography, 639
Shock wave, 597
Silicon carbide, 451
Singlet Oxygen Generator, 395
Singlet oxygen yield, 395
Slit nozzle, 395
Smoothing filter, 649
SOA, 463
Solder, 61
Solid-state laser, 173, 375
Solid state lasers, 613
Spatial coherence, 133
Specific rotation, 319
Speckle interferometry, 587
Spectral shaping, 425
Spectronephelometry, 491
Spectroscopic measurement, 485
Spontaneous noise, 163
Stainless steel pipe, 65
Styrene acrylonitrile, 401
Subfringe integration, 223
Subpixel registration, 533
Supersonic COIL, 395
Sweat and urine, 55
Symmetrizing transformation, 497

Temporal speckle pattern interferometry, 203
Tester, 213
The phase shifting method, 323
Thermal effects, 445
Thermal lens, 173
Thermal lensing, 37
Thermal stress, 21
Three-point method, 49
Threshold current, 341
Time demodulation, 203
Time sequential speckle pattern interferometry, 203
TIR, 409
Ti:sapphire regenerative amplifier, 425
Transfer matrix method, 621
Transmission loss, 291
Transport loss, 395
Transverse flow CO_2 laser, 105
Triple-clad fiber, 237
Turbidity, 491
Two-dimensional acceleration measurement, 345
Two-stage EDFA, 441, 645

Ultrashort pulses, 349
Unstable resonator, 245

Vacuum sealing between quartz tubes and nickel–chromium steel pipes, 633
Vertical beam quality factor, 621
Vertical cavity surface emitting laser (VCSEL), 341
Vibration, 547

Waveguide dispersion, 237
Wavelength conversion, 137, 187
Wavelength routing, 137
Wavelet, 43
White light interference, 55

YVO_4 amplifier, 375

Zero-dispersion point, 237
$ZnSe : Co^{2+}$, 169